

SSH4, SPSH4, and SRSH4 Spares/Parts List and Configuration Guide

Rev 3.2

**A reference guide to assist customers in ordering components
to configure an SRSH4 or SPSH4 platform.**

SSH4 = Baseboard, SPSH4 = 7U Server, SRSH4 = 4U Server.



Table of Contents

Table of Contents	2
Notes.....	2
Revision History	3
Boardset SKUs	4
System SKUs.....	5
Common Accessories & Spares SKUs	7
SPSH4 Accessories & Spares SKUs	8
SRS4 Accessories & Spares SKUs.....	10
Processor SKUs.....	11
SPSH4 System Configuration	14
SRS4 System Configuration	15

Notes

1. Systems will not ship with processors, hard drives, memory, or redundant power. These parts must be obtained separately from the system.
2. Boxed Intel® Xeon™ processor kits are available which include the heatsink, clips, and thermal grease. See the processor SKU section of this document for order codes.
3. The SSH4 memory board will support either PC1600/DDR200 or PC2100/DDR266 registered DIMMs.

Revision History

Table 1

Date	Rev	Modification
Feb 12, 2002	1.1	<ol style="list-style-type: none"> Added a Beta product code for the SPSH4 Power Supply accessory. Added a third power supply to ship in every SRS4 beta system. Added SPSH4 HD Bay accessory
	1.2	<ol style="list-style-type: none"> Deleted accessory part code AXXHS DRVUG as it was incorrectly listed. The correct accessory part for a HD bay is included in the accessory list. Added production order codes for boxed Intel® Xeon™ processor kits. Added UPC codes. Deleted Beta product codes. Deleted SKCBRACKMT kit option. Common rack rail will be used instead.
April 11, 2002	1.3a	<ol style="list-style-type: none"> Added UPC codes
May 8, 2002	1.4	<ol style="list-style-type: none"> Deleted DDR memory list. See the “SSH4, SRS4 and SPSH4 Memory Validation Test Plan” for a list of memory. Modified memory support note to include support for DDR266 DIMMs. Removed the SAF-TE and HSBP boards from the system boards spares kit. Added system product SKU for a black SPSH4 (7U) pedestal.
July 7, 2002	1.5	<ol style="list-style-type: none"> Added rail bushings to integrator kits. Corrected product code from SSHCBPBG to SSHCBPBE. Added SPSH4 Pedestal to Rack conversion kit.
Sep 3, 2002	1.6	<ol style="list-style-type: none"> Deleted information for the “silver” product phase. Added a column for the SSHCBPBK product (black pedestal) to the system configuration table.
Oct 2, 2002	1.7	<ol style="list-style-type: none"> Removed “Intel Confidential” from the document. Corrected the Xeon™ processor MP mm numbers for the 1.5GHz and 1.4GHz SKUs in Table 7.
	1.8	<ol style="list-style-type: none"> Added heatsink clip removal tool.
Dec 12, 2002	2.0	<ol style="list-style-type: none"> Added product MM number for U320 / PHP@100MHz base board. Added product MM number for Intel Xeon™ processor MP with 2M cache processor board. Added new platform MM numbers for U320 / PHP@100MHz / Intel Xeon™ processor MP support. Added Intel Xeon™ processor MP with 2M cache heatsink and clip information. Added the MM number for the new memory board Added the new Xeon™ processor MP with 2M cache boxed processor product codes and MM numbers.
Dec 16, 2002	2.1	<ol style="list-style-type: none"> Corrected refresh implementation availability dates from January 2002 to January 2003.
Feb 26, 2003	2.2	<ol style="list-style-type: none"> Removed old MM#s for old memory board, old cpu board and old base board
Apr 04, 2003	2.3	<ol style="list-style-type: none"> Updated MM#s for systems with no power cords Added MM#s for systems with power cords in NA.
July 14, 2003	3.0	<ol style="list-style-type: none"> Updated MM#s for PCN103309-01 for BIOS P08 and FRUSDR 5.07, 2. Added MM#s for 2.8GHz processors
February 26, 2004	3.1	<ol style="list-style-type: none"> Add MM#s for 3.0GHz/4M, 2.7GHz/2M, 2.2GHz/2M C-step, removed code-names
April 22, 2004	3.2	<p>Revised MM#s to reflect system PCN 103747 & board PCN 102908-00, system refresh with Baseboard-BIOS P12, BMC27, FRUSDR 5.6.9. -Supports on-line spare memory & mirrored memory.; -Support Intel® Xeon™ Processor MP 2.2 GHz/ 2M, 2.7 GHz/ 2M, 3.0 GHz/ 4M; - Resource CD changes (added SSU RC2); - Remove ISM CD A92624-002.</p>

Boardset SKUs

Table 2: Board Product Codes

Category	Production Code	Production MM/UPC	Description	Min Order
Board	BSHBASE	MM: 858298 ¹ UPC: 7 35858 15488 8	SSH4 Base Board	1
Board	BSHMEM	MM: 852400 ² UPC: 7 35858 15491 8	SSH4 DDRAM Memory Board	1
Board	BSHCPU	MM: 850969 ³ UPC: 7 35858 15486 4	SSH4 Processor Board <ul style="list-style-type: none"> • Stiffener Plate for CPU Board • Retention Modules must be ordered separate. 	1

Notes:

- The SSH4 boardset is ordered and shipped as three separate boards. The three boards are the *baseboard*, the *processor board*, and the *memory board*.
- The Intel factory will package board orders into single order packaging and ship to fill customer orders. Each board MM is a self-contained shipping package of one board.
- These boards are shipped without processors, processor retention modules, or memory.

¹ Baseboard with U320 SCSI. Shipments began January 2003.

² Memory board with improved DIMM compatibility. Shipments began January 2003.

³ Processor board with Intel Xeon™ processor MP 2.0GHz / 2M support. Shipments began January 2003.

System SKUs

Table 3: System Product Codes

Category	Production Code	Production MM/UPC	Description	Min Order
System	SSHCBPBE <i>(No power cords included.)</i>	858070 UPC: 7 35858 15490 1	SPSH4 4-Way 7U Pedestal in Beige <ul style="list-style-type: none"> • 7U Chassis with all required chassis boards. • Front bezel and pedestal feet (beige). • SSH4 Baseboard, CPU board, and Memory board. • 3.5" 1.44MB floppy drive (black). • CD-ROM drive (black). • One 1" HD drive bay for five SCSI SCA drives. • Two 600W AC Power Supplies with US power cords. • Full fan redundancy including six E-Bay Fans. • System Accessory Kit. • BIOS P12 • FRUSDR 5.6.9 • BMC 27 • HSC 10 	1
	SSHCBPBENA <i>(Includes North American power cords)</i>	858846 ⁴ UPC: 00735858159937		
System	SSHCBPBK <i>(No power cords included.)</i>	858113 UPC: 7 35858 15646 2	SPSH4 4-Way 7U Pedestal in Black <ul style="list-style-type: none"> • 7U Chassis with all required chassis boards. • Front bezel and pedestal feet (black). • SSH4 Baseboard, CPU board, and Memory board. • 3.5" 1.44MB floppy drive (black). • CD-ROM drive (black). • One 1" HD drive bay for five SCSI SCA drives. • Two 600W AC Power Supplies with US power cords. • Full fan redundancy including six E-Bay Fans. • System Accessory Kit. • BIOS P12 • FRUSDR 5.6.9 • BMC 27 • HSC 10 	1
	SSHCBPBKNA <i>(Includes North American power cords)</i>	858847 ⁴ UPC: 00735858159920		
System	SSHCBRBK <i>(No power cords included.)</i>	858114 UPC: 7 35858 15495 6	SPSH4 4-Way 7U Rack in Black <ul style="list-style-type: none"> • 7U Chassis with all required chassis boards. • Front bezel (black). • Rack handles. • SSH4 Baseboard, CPU board, and Memory board. • 3.5" 1.44MB floppy drive (black). • CD-ROM drive (black). • One 1" HD drive bay for five SCSI SCA drives. • Two 600W AC Power Supplies with US power cords. • Full fan redundancy including six E-Bay Fans. • System Accessory Kit. • BIOS P12 • FRUSDR 5.6.9 • BMC 27 • HSC 10 	1
	SSHCBRBKNA <i>(Includes North American power cords)</i>	858645 ⁴ UPC: 00735858159913		

⁴ Will start shipment in May, 2003 with US power cords.

Category	Production Code	Production MM/UPC	Description	Min Order
System	SSHDVRBK <i>(No power cords included.)</i>	858115 UPC: 7 35858 15493 2 5	SRSH4 4-Way 4U Rack in Black. <ul style="list-style-type: none"> 4U chassis with all required chassis boards. Front bezel (black). Rack handles. SSH4 Baseboard, CPU board, and Memory board. 	1
	SSHDVRBKNA <i>(Includes North American power cords)</i>	858646 ⁴ UPC: 00735858159906	<ul style="list-style-type: none"> Slimline 3.5" 1.44MB floppy drive (black). Slimline CD-ROM (black). One 1" HD drive bay for five SCSI SCA drives. Two 430W AC power supplies with US power cords. Full fan redundancy including six E-Bay Fans. System Accessory Kit. BIOS P12 FRUSDR 5.6.9 BMC 27 HSC 10 	

- Systems do not include processors, memory or hard drives.
- All system SKUs require one additional power supply (total of three) for full power redundancy.
- System SKUs include a SCSI cable routed from the on-board SCSI connector to the HD bay. SCSI cables to route from an add-in PCI adaptor to either the HD bay or rear bulkhead are ordered separately.

⁵ Platform with U320 SCSI / PHP@100MHz / Intel Xeon™ processor MP 2.0GHz / 2M support. Will start shipment in January, 2003.

⁸ MM number contains processors with the tray S-Spec processor marking instead of the boxed processor S-Spec.

Common Accessories & Spares SKUs

Table 4: SSH4 Common Accessories

Category	Production Code	Production MM/UPC	Description	Min Order
Accessory	AD2C3EXTSCSI	MM: 844090 UPC: 7 35858 15497 0	One external SCSI Cable (This is a SCSI cable to go from the PCI space to the back bulkhead SCSI knockouts. Cable has VHDCI connectors.) Does not ship with system. Not included in cable spares kit.	5
Accessory	AD2C3INTSCSI	MM: 843916 UPC: 7 35858 15498 7	One internal SCSI Cable (This is a SCSI cable to go from the internal PCI space to the hot-swap backplane for the internal drive bays.) Does not ship with system. Not included in cable spares kit.	5
Accessory	AD2C3RACKMT <i>This rail kit can be used on both 4U/7U.</i>	MM: 843895 UPC: 7 35858 15501 4	SPSH4 / SRS4 Rack Mount Kit. <ul style="list-style-type: none"> • 2 30" Rails • Nut clips • Mounting bracket • Documentation 	1
Accessory	AD2C3RETKIT	MM: 843897 UPC: 7 35858 15500 7	Retention Module Kit <ul style="list-style-type: none"> • 4 CPU Retention Modules • 20 Screws • 1 Retention Module Foam Filler • Installation Instruction 	1
Accessory	AXX2ICMBKIT	MM: 836017 UPC:	SSH4 ICMB Upgrade Kit. <ul style="list-style-type: none"> • ICMB Board with I/O Shield • Baseboard Connect Cable. • ICMB Cable. • Installation Instruction 	1
Accessory	FXX2DRVCARBLK	MM: 835853 UPC:	1" HDD Drive Carriers (Black). (drive carrier faceplate, two rails, screws, and one baffle). One HDD Carrier assembly required per hard drive.	10
Accessory	AD2C3HSDRVUG	MM: 846528 UPC: 7 35858 15503 8	SPSH4 / SRS4 Hard Drive Bay <ul style="list-style-type: none"> • One drive bay. • One SCSI signal cable. • One I2C signal cable. • One power cable. • One 92mm HD bay fan. • Five HD carrier assemblies. 	1
Spare	PWRCABLEUS	816324	US power cord	

SPSH4 Accessories & Spares SKUs

Table 5: SPSH4 Accessories and Spares Kits

Category	Production Code	Production MM/UPC	Description	Min Order
Accessory	AC3POWER	MM: 852394 UPC: 7 35858 15504 5	SPSH4 600W PFC Power Supply (SSI compliant) including US power cord.	1
Accessory	AC3BAYSCSI	MM: 843917 UPC: 7 35858 15505 2	One internal SCSI Cable for 5.25 bay. (This is a SCSI cable to go from the PCI space to the internal 5.25 accessory bay.)	5
Accessory	ACBDLTRAIL	MM: 822719 UPC: 7 35858 15510 6	SPSH4 DLT Rail Kit <ul style="list-style-type: none"> 5 DLT carrier assemblies (two rails each). One assembly required per DLT drive. 	10
Accessory	AC3PEDTORACK	MM: 849479 UPC: 7 35858 15694 3	SPSH4 Pedestal to Rack Conversion Kit <ul style="list-style-type: none"> 1 7U Rack Bezel (Black) 1 7U Rack Handles (set of 2) 8 Rail Mount Chassis Bushings 	1
Spare	FC3BOARDSPRS	846526 UPC: 7 35858 15507 6	SPSH4 Board Parts Spares Kit <ul style="list-style-type: none"> 1 Fan Distribution Board 1 Front Panel Board 1 PCI Hot Plug Indicator Board 1 Power Distribution Board 	1
Spare	FC3CABLESPRS	MM: 844691 UPC: 7 35858 15508 3	<ul style="list-style-type: none"> SPSH4 Cable Parts Spares Kit 1 Fan Distribution 1 Floppy 1 Front Panel 1 HPIB 1 I2C for HD bay one 1 I2C for HD bay two 1 IDE 1 Intrusion Switch 1 Main Power Distribution 1 Auxiliary Power Distribution 1 Signal Power Distribution 1 Peripheral bay Power Distribution 1 HD bay Power Distribution 1 Baseboard to HD bay SCSI cable 1 Baseboard to 5¼ bay SCSI cable 1 Serial cable 1 USB cable 	1
Spare	FC3FANSPRS	MM: 844690 UPC: 7 35858 15509 0	SPSH4 Fan Parts Spares Kit <ul style="list-style-type: none"> 1 127mm Dual Fan Module 1 80mm Fan Module 1 92mm HD Bay Fan 	1

Category	Production Code	Production MM/UPC	Description	Min Order
Spare	FC3INTSPRS	MM: 844689 UPC: 7 35858 15511 3	SPSH4 Integrator Parts Spares Kit <ul style="list-style-type: none"> • 1 ** Misc Parts Kit ** • 20 Chassis Screws • 4 HPIB Rivets • 8 PCI HP Rockers (Green) • 8 PCI HP Rockers (Blue) • 4 PCI EMI Gaskets • 1 CPU Air Baffle • 1 CPU Socket Foam • 1 Processor Retention Module • 10 Retention Module Screws • 8 Processor Heatsink Clips • 4 Processor Thermal Compound • 1 PCI Card Guide (Front) • 1 PCI Card Guide (Rear) • 2 PCI Curtain Dividers • 1 Fan EPAK set • 4 rack rail bushings 	1

SRS4 Accessories & Spares SKUs

Table 6: SRS4 Accessories and Spares Kits

Category	Production Code	Production MM	Description	Min Order
Accessory	AD2POWER	MM: 843898 UPC: 7 35858 15585 4	SRS4 430W PFC AC Power Supply Module.	1
Accessory	AD2BAYSCSI	MM: 844077 UPC: 7 35858 15586 1	One internal SCSI Cable for 5.25 bay. (This is a SCSI cable to go from the PCI space to the internal 5.25 accessory bay.)	5
Spare	FD2CABLESPRS	MM: 846625 UPC: 7 35858 15590 8	SRS4 Miscellaneous Cables (all necessary cables) <ul style="list-style-type: none"> • 1 Fan Distribution • 1 Floppy • 1 Front Panel • 1 HPIB • 1 I2C for HD bay • 1 IDE • 1 Baseboard to HD bay SCSI cable • 1 Baseboard to 5¼ bay SCSI cable • 1 Serial cable • 1 USB cable 	1
Spare	FD2BOARDSPRS	MM: 844693 UPC: 7 35858 15588 5	SRS4 Board Parts Spares Kit <ul style="list-style-type: none"> • 1 Fan Distribution Board • 1 Front Panel Board • 1 PCI Hot Plug Indicator Board • 1 Floppy adapter • 1 CDROM adapter • 	1
Spare	FD2FANSPRS	MM: 844694 UPC: 7 35858 15589 2	SRS4 Fan Parts Spares Kit <ul style="list-style-type: none"> • 1 127mm Fan Module 	1
Spare	FD2INTSPRS	MM: 844692 UPC: 7 35858 15591 5	SRS4 Integrator Parts Spares Kit <ul style="list-style-type: none"> • 1 ** Misc Parts Kit ** • 20 Chassis Screws • 4 HPIB Rivets • 8 PCI HP Rockers (Green) • 8 PCI HP Rockers (Blue) • 4 PCI EMI Gaskets • 1 CPU Air Baffle • 1 CPU Socket Foam • 1 Processor Retention Module • 10 Retention Module Screws • 8 Processor Heatsink Clips • 4 Processor Thermal Compound • 1 PCI Card Guide (Front) • 1 PCI Card Guide (Rear) • 2 PCI Curtain Dividers • 4 rack rail bushings 	1

Processor SKUs

Table 7: Intel® Xeon™ Processors

Category	Production Code	Production MM#	Description
Processor	BX80532KC3000H - SL79V	857561	Boxed processor kit with: <ul style="list-style-type: none"> • 3.0GHz/4MB L3 Cache Intel® Xeon™ Processor MP • Passive crimped-fin heatsink • Heatsink clips • Thermal grease Retention Modules ¹⁰
Processor	RN80532KC0804M	857374	Tray processor: 3.0GHz/4MB L3 Cache Intel® Xeon™ Processor MP
Processor	BX80532KC2700F - SL79Z	857562	Boxed processor kit with: <ul style="list-style-type: none"> • 2.7GHz/2MB L3 Cache Intel® Xeon™ Processor MP • Passive crimped-fin heatsink • Heatsink clips • Thermal grease Retention Modules ¹⁰
Processor	RN80532KC0682M	857375	Tray processor: 2.7GHz/2MB L3 Cache Intel® Xeon™ Processor MP
Processor	BX80532KC2200F -SL7A5	857558	Boxed processor kit with: <ul style="list-style-type: none"> • 2.2GHz/2MB L3 Cache Intel® Xeon™ Processor MP • Passive crimped-fin heatsink • Heatsink clips • Thermal grease Retention Modules ¹⁰
Processor	RN80532KC0492M	857339	Tray processor: 2.2GHz/2MB L3 Cache Intel® Xeon™ Processor MP
Processor	BX80532KC2800F - SL6YL	852935	Tray processor: 2.8GHz/2MB L3 Cache Intel® Xeon™ Processor MP
Processor	BX80532KC2800F - SL6Z8	853062 855005 ⁸	Boxed processor kit with: <ul style="list-style-type: none"> • 2.8GHz/2MB L3 Cache Intel® Xeon™ Processor MP • Passive crimped-fin heatsink • Heatsink clips • Thermal grease • Retention Modules¹⁰
Processor	BX80532KC2500E - SL6Z2	853010	Tray processor: 2.5GHz/1MB L3 Cache Intel® Xeon™ Processor MP
Processor	BX80532KC2500E - SL6Z7	853064 855004 ¹¹	Boxed processor kit with: <ul style="list-style-type: none"> • 2.5GHz/1MB L3 Cache Intel® Xeon™ Processor MP • Passive crimped-fin heatsink • Heatsink clips • Thermal grease • Retention Modules¹⁰
Processor	BX80532KC2000E - SL6YJ	852934	Tray processor: 2.0GHz/1MB L3 Cache Intel® Xeon™ Processor MP
Processor	BX80532KC2000E - SL6Z6	853012 855003 ¹¹	Boxed processor kit with: <ul style="list-style-type: none"> • 2.0GHz/1MB L3 Cache Intel® Xeon™ Processor MP • Passive crimped-fin heatsink • Heatsink clips • Thermal grease • Retention Modules¹⁰

Category	Production Code	Production MM#	Description
Processor	80532KC2000F - SL66Z	848115	Tray processor: 2.0GHz/2MB L3 Cache Intel® Xeon™ Processor MP
Processor	BX80532KC2000F - SL6KD	849876 851383 ⁹	Boxed processor kit with: <ul style="list-style-type: none"> • 2.0GHz/2MB L3 Cache Intel® Xeon™ Processor MP • Passive crimped-fin heatsink • Heatsink clips • Thermal grease • Retention Modules¹⁰
Processor	BX80532KC1900E - SL6H2	848307	Tray processor: 1.9GHz/1MB L3 Cache Intel® Xeon™ Processor MP
Processor	BX80532KC1900E - SL6KC	849877 851382 ¹¹	Boxed processor kit with: <ul style="list-style-type: none"> • 1.9GHz/1MB L3 Cache Intel® Xeon™ Processor MP • Passive crimped-fin heatsink • Heatsink clips • Thermal grease • Retention Modules¹⁰
Processor	BX80532KC1500E - SL6GZ	848306	Tray processor: 1.5GHz/1MB L3 Cache Intel® Xeon™ Processor MP
Processor	BX80532KC1500E - SL6KB	849515 851381 ¹¹	Boxed processor kit with: <ul style="list-style-type: none"> • 1.5GHz/1MB L3 Cache Intel® Xeon™ Processor MP • Passive crimped-fin heatsink • Heatsink clips • Thermal grease • Retention Modules¹⁰
Processor	BX80528KL160GE SL5S4	837048	Boxed processor kit with: <ul style="list-style-type: none"> • 1.6GHz/1MB L3 Cache Intel® Xeon™ Processor MP • Passive crimped-fin heatsink • Heatsink clips • Thermal grease • Retention Modules¹⁰
Processor	BX80528KL150GD SL5RW	836890	Boxed processor kit with: <ul style="list-style-type: none"> • 1.5GHz/512KB L3 Cache Intel® Xeon™ Processor MP • Passive crimped-fin heatsink • Heatsink clips • Thermal grease • Retention Modules¹⁰
Processor	BX80528KL140GD SL5RV	836876	Boxed processor kit with: <ul style="list-style-type: none"> • 1.4GHz/512KB L3 Cache Intel® Xeon™ Processor MP • Passive crimped-fin heatsink • Heatsink clips • Thermal grease • Retention Modules¹⁰

Category	Intel Part Number	Supplier Part Number	Description/Contact Information	Min Order
----------	-------------------	----------------------	---------------------------------	-----------

⁹ MM number contains processors with the tray S-Spec processor marking instead of the boxed processor S-Spec.

Category	Intel Part Number	Supplier Part Number	Description/Contact Information	Min Order
Heatsink (Intel® Xeon™ processor MP with 1M cache) (Crimped Hybrid-Fin)	A53376-001 w/o Cover A87945-001 w/Cover	HS1870 w/o Cover HS2157 w/cover	Order from Furukawa Katsuyoshi Mizushima (408) 232-9300 katsu@feainc.com	
Heatsink (Intel® Xeon™ processor MP with 1M cache) (Folded-Fin)	A30041-001 w/o Cover	ITTS-1025	Order from Fujikura Ash Ooe (408) 988-7405 a_ooe@fujikura.com	
Heatsink Clips (Intel® Xeon™ processor MP with 1M cache)	A34614-002	028-0009-071	Order from Foxconn Julia Jiang (408) 919-6178 juliaj@foxconn.com Wesley Lin 886-2-2268-3466 x6224 wesley.lin@foxconn.com	
Grease G749 450cc	A81434-001	G749-0.450grams	Order from MicroSi Rob Bass (408) 893-8898 x143 rbass@microsi.com	
Heatsink (Intel® Xeon™ processor MP with 2M and 4M cache) (Crimped Hybrid-Fin)	A57822-001 without cover A93122-001 with cover	HS 2028 w/o Cover HS2158 w/Cover	Order from Furukawa: Katsuyoshi Mizushima (408) 232-9300 katsu@feainc.com	
Heatsink Clips (Intel® Xeon™ processor MP with 2M and 4M cache)	A84976-001	028-2009-071	Order from Foxconn Julia Jiang (408) 919-6178 juliaj@foxconn.com Wesley Lin 886-2-2268-3466 x6224 wesley.lin@foxconn.com	
Thermal Grease or Pads Grease G751 600cc or 500cc	C17722-001	G751-0.500grams	Order from MicroSi Rob Bass (408) 893-8898 x143 rbass@microsi.com	
Heatsink clip tool.		Straight Tool: 650308-003 Pliers Tool: 650308-004-f	Dexter Design & Development Co. 5285 NE Elam Young Pkwy Suite A800 Hillsboro, OR 97124 503-648-7000 503-693-1438 fax	

SPSH4 System Configuration

Table 8: SPSH4 System Configuration

Item	SSHCBPBE	SSHCBPBK	SSHCBRBK
Cabrillo-3 7U chassis	1 (Beige)	1 (Black)	1
SSH4 baseboard	1	1	1
SSH4 CPU board	1	1	1
SSH4 memory board	1	1	1
Fan Distribution board	1	1	1
Front Panel board	1	1	1
Hot Plug Indicator Board	1	1	1
Power Distribution Board	1	1	1
600W AC power supplies	2	2	2
E-Bay Fans	6	6	6
3.5" 1.44MB floppy drive, with cable. (black)	1	1	1
5.25" CDROM with cable (black)	1	1	1
1" HD Drive Bay (black) with SCSI cable	1	1	1
Pedestal bezel, feet, and chassis skins.	1 (Beige)	1 (Black)	0
Rack bezel with handles.	0	0	1 (Black)
Processor	0	0	0
DDR Memory Sticks	0	0	0
Welcome Mat	1	1	1
System Accessory Kit <ul style="list-style-type: none"> • 2 US Power Cords • System Resource CD • Intel® Server Management CD • 3 sets (6 rails) 5 ¼ Peripheral Rails & Screws 	1	1	1

SRS4 System Configuration

Table 9: SRS4 System Configuration

Item	SSH4VRBK
D'Iberville-2 Chassis	1
SSH4 baseboard	1
SSH4 CPU board	1
SSH4 memory board	1
Fan Distribution board	1
Front Panel board	1
Hot Plug Indicator Board	1
Power Cage	1
430W AC power supplies	2
E-Bay Fans	6
Slimline 3.5" 1.44MB floppy drive with cable (black)	1
Slimline CD-ROM drive with cable (black)	1
1" HD Drive Bay (black) and SCSI cable.	1
Rack bezel (black) and handles.	1
Processor	0
DDR Memory Sticks	0
Welcome Mat	1
System Accessory Kit <ul style="list-style-type: none"> • 2 US Power Cords • System Resource CD • Intel® Server Management CD • 3 sets (6 rails) 5 ¼ Peripheral Rails & Screws 	1